


YK0850. YK0870      round baler

frame assy



| No. | Drawing No.   | name                  | quantity | No. | Drawing No.   | name                        | quantity |
|-----|---------------|-----------------------|----------|-----|---------------|-----------------------------|----------|
| 1   | YK50. 1-01-00 | YK0850 front frame CP | 1        | 26  | YK70. 1-13    | Connection pin              | 2        |
|     | YK70. 1-01-00 | YK0870 front frame CP | 1        | 27  | GB6710-86     | Hexagon nut M22XI. 5 (8. 8) | 2        |
| 3   | YK70. 1-02    | Connecting plate      | 1        | 28  | YK70. 1-14-00 | Supporting rod CP; 450A     | 1        |
| 4   | GB5786-86     | Bolt M10×25 (8. 8)    | 4        | 29  | HB4187-1989   | bayonet pin 9               | 1        |
| 6   | YK50. 1-03-00 | pivot pipe CP YK0850  | 1        | 30  | YK70. 1-21    | cover                       | 1        |
|     | YK70. 1-03-00 | pivot pipe CP YK0870  | 1        | 31  | YK50. 1-15    | YK0850 Rear cover           | 1        |
| 7   | YK70. 1-04    | top cover             | 2        |     | YK70. 1-15    | YK0870 Rear cover           | 1        |
| 8   | YK70. 1-05    | sleeve                | 2        | 32  | YK70. 1-16    | wheel axis                  | 2        |

|    |                   |                                                            |   |
|----|-------------------|------------------------------------------------------------|---|
| 9  | GB70. 1-20<br>00T | <b>HEXAGON<br/>SOCKET HEAD<br/>SCREW</b><br>M12*30 (10. 9) | 1 |
| 10 | GB5786-86         | Bolt M12×30 (8. 8)                                         | 3 |
| 11 | GB1152-79         | grease nipple ONB6<br>M6×1                                 | 2 |
| 12 | GB97. 1-85        | washer<br>12. 5×3. 2                                       | 2 |
| 13 | YK70. 1-06        | Hanging plate                                              | 1 |
| 14 | YK50. 1-07<br>-00 | rear frame CP<br>YK0850                                    | 1 |
|    | YK70. 1-07<br>-00 | rear frame CP<br>YK0870                                    | 1 |
| 15 | YK70. 1-08        | Steel plate                                                | 2 |
| 16 |                   | square neck bolt<br>M8×15 (8. 8)                           | 4 |
| 17 | GB6710-86         | Nut M8 (8. 8)                                              | 4 |
| 18 | YK70. 1-09        | ejector rod CP                                             | 1 |
| 19 | GB97. 1-85        | Washer 10                                                  | 1 |
| 20 | GB91-87           | Split pin 3. 2×16                                          | 1 |
| 21 | YK70. 1-10        | <b>extension spring<br/>A</b>                              | 2 |
| 22 | GB93-87           | <b>spring washer 22</b>                                    | 2 |
| 24 | YK70. 1-11<br>-00 | Connectting arm<br>CP: R                                   | 1 |
| 25 | YK70. 1-12<br>-00 | Connecting arm<br>CP: L                                    | 1 |


|    |                    |                              |   |
|----|--------------------|------------------------------|---|
| 33 | GB5786-86          | Bolt M12×70<br>(8. 8)        | 2 |
| 34 | GB6710-86          | Nylon locking nut<br>M12     | 2 |
| 35 | GB6710-86          | <b>HEXagon NUT</b><br>M14    | 2 |
| 36 | GB860-87           | Washer 14                    | 4 |
| 37 | GB97. 1-85         | Flat washer 8                | 9 |
| 38 | GB1192-82 (400-12) | Tire 5. 70/5. 00-8           | 2 |
| 39 | GB5786-86          | Bolt M8×16 (8. 8)            | 9 |
| 40 | YK70. 1-17         | hub                          | 2 |
| 41 | GB5786-86          | Bolt M12×55 (8. 8)           | 2 |
| 42 |                    | cover                        | 2 |
| 43 |                    | cover                        | 2 |
| 44 |                    | bush                         | 2 |
| 45 | GB297-84           | Bearing 6205-2RS             | 4 |
| 46 | GB6710-86          | <b>HEX NUT</b><br>M20 (8. 8) | 2 |
| 47 |                    | caster; 100                  | 1 |
| 49 | YK70. 1-18         | Topper Connecting<br>pin     | 1 |
|    |                    |                              | 1 |

| No. | Drawing No.   | name                      | quantity | No. | Drawing No. | name | quantity |
|-----|---------------|---------------------------|----------|-----|-------------|------|----------|
| 51  | DIN11024-1973 | battle pin; 9             | 1        |     |             |      |          |
| 55  | YK70. 1-21    | warning sticker           | 1        |     |             |      |          |
| 56  | YK70. 1-22    | warning sticker           | 1        |     |             |      |          |
| 57  | YK70. 11-19   | warning sticker           | 1        |     |             |      |          |
| 58  | YK70. 1-23    | Sticker: factory name     | 1        |     |             |      |          |
| 60  | GB6710-86     | hexagon nut M10 (8.8)     | 4        |     |             |      |          |
| 61  | GB93-87       | spring washer 10          | 5        |     |             |      |          |
| 62  | GB5786-86     | Bolt M8×25 (8.8)          | 2        |     |             |      |          |
| 63  | GB6710-86     | hexagon nut M12           | 8        |     |             |      |          |
| 64  | GB93-87       | srping washer 12          | 8        |     |             |      |          |
| 65  | YK70. 1-19-00 | Bracket CP                | 1        |     |             |      |          |
| 66  | GB5786-86     | Hexagon bolt M10×25 (8.8) | 1        |     |             |      |          |
| 67  | GB5786-86     | Hexagon bolt M12×50 (8.8) | 2        |     |             |      |          |
| 68  | GB93-87       | Spring Washer 14          | 2        |     |             |      |          |
| 69  | YK70. 1-24    | sticker: RPM              | 1        |     |             |      |          |

|  |                   |                                   |    |
|--|-------------------|-----------------------------------|----|
|  | YK70. 1-20-00     | cover shell bracket: CP           | 6  |
|  | GB/T12-1988       | square neck bolt : M8×20<br>(8.8) | 10 |
|  | GB6710-86         | nut: M8 (8.8)                     | 12 |
|  | GB93-87           | spring washer: 8                  | 12 |
|  | GB1192-82(400-12) | Inner tire: 16×6.50-8             | 2  |

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |

YK0850 YK0870 round baler  
gearbox assy




| No. | Drawing No. | name                     | quantity | No. | Drawing No. | name                      | quantity |
|-----|-------------|--------------------------|----------|-----|-------------|---------------------------|----------|
| 1   | YK70. 2-01  | input shaft              | 1        | 26  |             | bush                      | 2        |
| 2   | YK70. 2-02  | gear box                 | 1        | 27  | YK70. 2-11  | Shaft sleeve<br>PIC; 35   | 1        |
| 3   | YK70. 2-03  | gear case                | 1        | 28  | GB893. 1-86 | Retaining<br>washer 62    | 1        |
| 4   | YK70. 2-04  | bevel gear 12T           | 1        | 29  | GB1152×79   | Grease nipple<br>ONA M6X1 | 1        |
| 5   | YK70. 2-05  | bevel gear 22T           | 1        | 33  | YK70. 2-09  | Steel plate;<br>4.5       | 1        |
| 6   | YK70. 2-10  | shim                     | 2        | 34  | GB297-84    | Bearing<br>6007-2RS       | 1        |
| 7   | GB1096-79   | Flat key<br>7×7×25 (A 型) | 2        | 35  | GB297-84    | Bearing 6206              | 1        |



YK0850 round baler  
roller assy

滚筒 AS




| No. | Drawing No.    | name                                 | quantity | No. | Drawing No. | name | quantity |
|-----|----------------|--------------------------------------|----------|-----|-------------|------|----------|
| 1   | YK70.3-01      | sprocket; 22T                        | 11       |     |             |      |          |
|     |                | shim; 25.5X0.6                       | 10       |     |             |      |          |
| 2   | YK70.3-02      | sprocket; 22T                        | 1        |     |             |      |          |
| 3   | YK70.3-03      | bush; A                              | 9        |     |             |      |          |
| 4   | YK70.3-04      | bush; B                              | 1        |     |             |      |          |
| 5   | YK70.3-05-00   | Roller CP;1                          | 5        |     |             |      |          |
| 6   | YK70.3-06-00   | Roller CP;2                          | 1        |     |             |      |          |
| 7   | YK70.3-07-00   | Roller CP;3                          | 3        |     |             |      |          |
| 8   | YK70.3-08-00   | Roller CP;4                          | 1        |     |             |      |          |
| 9   | YK70.3-09-00   | flange CP                            | 10       |     |             |      |          |
| 10  | YK70.3-10-00   | flange CP                            | 10       |     |             |      |          |
| 11  | GB7810-87      | Spherical ball bearings<br>CS205-2RS | 20       |     |             |      |          |
| 12  | GB/T 7813-1998 | bearing seat                         | 18       |     |             |      |          |
| 13  | YK70.3-11      | cover plate                          | 1        |     |             |      |          |
| 14  | GB5786-86      | Bolt M8×20 (8.8)                     | 48       |     |             |      |          |
| 15  | GB5786-86      | boltM8×25 (8.8)                      | 3        |     |             |      |          |

|    |            |                         |    |
|----|------------|-------------------------|----|
| 16 | GB5786-86  | boltM8×30 (8.8)         | 9  |
| 17 | GB894.1-86 | shaft retaining ring 25 | 10 |
| 18 | YK70.3-12  | cover plate             | 1  |
| 19 |            | rivet: 6×6              | 18 |
| 20 |            | rivet; 6×10 rivet       | 2  |
| 21 | GB6710-86  | Nut M12                 | 9  |
| 22 | GB860-87   | washer: Φ13×4.5         | 9  |
| 23 | GB93-87    | spring washer 12        | 9  |
| 25 | YK70.3-13  | bush                    | 1  |

[illegible]



YK0870 mini round baler  
roller assy




| No. | Drawing No.    | name                             | quantity | No. | Drawing No. | name | quantity |
|-----|----------------|----------------------------------|----------|-----|-------------|------|----------|
| 1   | YK70. 3-01     | sprocket; 22T                    | 13       | 22  |             |      |          |
| 2   | YK70. 3-02     | sprocket; 22T                    | 1        | 23  |             |      |          |
| 3   | YK70. 3-03     | bush; A                          | 11       | 24  |             |      |          |
| 4   | YK70. 3-04     | bush; B                          | 1        | 25  | YK70. 3-13  | bush | 1        |
| 5   | YK70. 3-05-00  | Roller CP;1                      | 7        |     |             |      |          |
| 6   | YK70. 3-06-00  | Roller CP;2                      | 2        |     |             |      |          |
| 7   | YK70. 3-07-00  | Roller CP; 3                     | 2        |     |             |      |          |
| 8   | YK70. 0-08-00  | Roller CP;4                      | 1        |     |             |      |          |
| 9   | YK70. 3-09-00  | Flange CP                        | 12       |     |             |      |          |
| 10  | YK70. 3-10-00  | Flange CP                        | 12       |     |             |      |          |
| 11  | GB7810-87      | Spherical ball bearings<br>CS205 | 24       |     |             |      |          |
| 12  | GB/T 7813-1998 | bearing seat                     | 22       |     |             |      |          |
| 13  | YK70. 3-11     | cover plate                      | 1        |     |             |      |          |
| 14  | GB5786-86      | Bolt M8×20 (8.8)                 | 57       |     |             |      |          |
| 15  | GB5786-86      | Bolt M8×25 (8.8)                 | 3        |     |             |      |          |
| 16  | GB5786-86      | Bolt M8×30 (8.8)                 | 12       |     |             |      |          |
| 17  | GB894. 1       | shaft retaining ring 25          | 12       |     |             |      |          |
| 18  | YK70. 3-12     | cover plate                      | 1        |     |             |      |          |





YK0850.YK0870 Round baler  
picking-up assy




| No. | Drawing No.   | name                         | quantity | No. | Drawing No. | name                                | quantity |
|-----|---------------|------------------------------|----------|-----|-------------|-------------------------------------|----------|
| 1   | YK70. 5-01-00 | picking-up Assy bracket CP   | 1        | 26  | GB860-87    | Washer 35×1.2                       | 12       |
| 2   | YK70. 5-02-00 | picking-up Assy bracket CP;R | 1        | 27  | YK70. 5-13  | Spring teeth<br>assy CP             | 1        |
| 3   | YK70. 5-03-00 | picking-up Assy bracket CP;L | 1        | 28  |             | Side cover shield<br>(Optional)CP;R | 1        |
| 4   | GB5786-86     | bolt M8×20 (8.8)             | 5        | 29  |             | Side cover shield<br>(optional)CP;L | 1        |
| 5   | YK70. 5-18    | cover: 9                     | 5        | 30  |             | Plum nut(optional) M8               | 4        |
| 6   | YK70. 5-04    | Steel plate                  | 1        | 31  |             | B Pin 19×3                          | 2        |
| 7   | YK70. 5-05    | axis                         | 1        | 32  | GB860-87    | washer                              | 3        |
| 8   | GB91-87       | Split pin 5×36               | 1        | 33  |             | D Shackle; 6-1/4                    | 2        |
| 9   | GB93-87       | Spring washer 14             | 1        | 34  |             | Rectangle welding chain             | 1        |

|    |                 |                                                                |    |
|----|-----------------|----------------------------------------------------------------|----|
|    |                 |                                                                |    |
| 10 | GB5786-86       | Bolt M8×25 (8.8)                                               | 3  |
| 11 | YK70.5-06       | Protecting spring teeth                                        | 11 |
| 12 | GB5786-86       | bolt M8×20 (8.8)                                               | 22 |
| 13 | RBT08020        | <b>HEXAGON SOCKET<br/>flat HEAD SCREW</b><br>:<br>M8×20 (10.9) | 22 |
| 14 | YK70.5-07-00    | Teeth rod CP                                                   | 4  |
| 15 | YK70.5-08       | spring                                                         | 24 |
| 16 | GB5786-86       | bolt M8×55 (8.8)                                               | 24 |
| 17 | GB/T3098.9-2002 | Nylon locking nut M8                                           | 24 |
| 18 | GB7810-87       | Bearing 6201-2RS (35×12×10)                                    | 4  |
| 19 | GB894.1-86      | Shaft retaining ring 12                                        | 4  |
| 20 | YK70.5-09       | Leading track                                                  | 1  |
| 21 | YK70.5-10       | nylon sleeve                                                   | 8  |
| 22 | YK70.5-11-00    | Racket CP                                                      | 2  |
| 23 | GB/T 70.3-2008  | <b>HEX SOCKET<br/>Countersunk head<br/>screw M8×20 (10.9)</b>  | 4  |
| 24 | YK70.5-12       | shim                                                           | 2  |
| 25 | GB91-87         | split pin 5×56                                                 | 8  |

|    |                 |                       |    |
|----|-----------------|-----------------------|----|
|    |                 | 4×23P×32              |    |
| 35 | YK70.5-15       | axis                  | 1  |
| 36 | GB5786-86       | Bolt M10×70 (10.9)    | 2  |
| 37 | GB/T3098.9-2002 | Nylon locking nut M10 | 2  |
| 38 | YK70.5-16       | steel plate           | 1  |
| 39 | GB5786-86       | Bolt M8×12 (8.8)      | 2  |
| 40 | YK70.5-17       | cover                 | 1  |
| 41 | GB860-87        | Washer 10             | 2  |
| 42 | GB860-87        | Washer 43×3.5         | 8  |
| 43 | GB93-87         | Spring washer 8       | 28 |
| 44 | GB860-87        | Washer 8              | 24 |
| 45 | GB6710-86       | Nut M8 (8.8)          | 4  |
| 46 | GB93-87         | spring washer 10      | 2  |
|    |                 |                       |    |
|    |                 |                       |    |


YK0850. YK0870 Round baler  
Picking-up sprocket Assy



| No. | Drawing No.   | name                      | quantity | No. | Drawing No.       | name                  | quantity |
|-----|---------------|---------------------------|----------|-----|-------------------|-----------------------|----------|
| 1   | YK70. 6-01-00 | Sprocket cover<br>CP      | 1        | 26  | GB860-87          | washer; 12            | 1        |
| 2   | YK70. 6-02    | Dust cover                | 1        | 27  | GB/T1243-2006     | chain10A-59×1         | 1        |
| 3   |               | Plum-shaped bolt<br>M8×14 | 3        | 28  | GB/T<br>7813-1998 | Bearing seat<br>PF206 | 2        |
| 4   | GB7810-87     | bearing<br>CS204-2RS      | 1        | 29  | GB7810-87         | Bearing<br>CS206-2RS  | 1        |
| 5   | YK70. 6-18    | Bearing cover             | 1        | 30  | GB5786-86         | Bolt M10×20<br>(8. 8) | 3        |
| 6   |               | Bearing seat<br>PFL204    | 1        | 31  | GB5786-86         | Bolt M12×45<br>(8. 8) | 1        |
| 7   | YK70. 6-03    | Tension disc              | 1        | 32  | YK70. 6-12        | Up-down Rod CP        | 1        |
| 8   | GB5786-86     | Bolt M10×65<br>(8. 8)     | 4        | 33  | YK70. 6-13        | Brake plate           | 1        |

|    |                    |                                      |   |    |                     |                                                 |   |
|----|--------------------|--------------------------------------|---|----|---------------------|-------------------------------------------------|---|
| 9  | YK70.6-04          | 弹簧 spring                            | 4 | 34 | YK50.6-14           | Pull rod<br>RXYK0850                            | 1 |
| 10 | GB97.1-85          | <b>slotted nut</b><br>M20×1.5 GB9457 | 1 |    | YK70.6-14           | Pull rod<br>RXYKB0870                           | 1 |
| 11 | GB5786-86          | Bolt M8×25 (8.8)                     | 2 | 35 | YK70.6-15           | fork; 10×40                                     | 1 |
| 12 | GB91-87            | Split pin 4×25                       | 1 | 36 | GB882-86            | pin; 10×40                                      | 1 |
| 13 | GB860-87           | washer; 20                           | 1 | 37 | GB91-87             | Split pin<br>3.2×16                             | 1 |
| 14 | GB/T<br>7813-1998  | Bearing seat<br>PFL205               | 2 | 38 | GB5786-86           | Bolt<br>M10×30(8.8)                             | 1 |
| 15 | GB7810-87          | Spherical ball<br>bearings CS205-2RS | 1 | 39 | GB/T3098.9-2<br>002 | Nylon locking<br>nut M10                        | 1 |
| 16 | GB5786-86          | Bolt M10X20 (8.8)                    | 2 | 40 | JB/ZQ<br>4340-2006  | Disc washer 10                                  | 2 |
| 17 | YK70.6-05          | <b>Friction disc</b>                 | 1 | 41 | YK70.6-10           | Handle sleeve;<br>12                            | 1 |
| 18 | YK70.6-06          | bush                                 | 1 | 42 | YK70.6-17           | Extension<br>spring; H                          | 2 |
| 19 | YK70.6-07          | Friction washer                      | 2 | 43 |                     | Adjustable screw<br>; M10                       | 2 |
| 20 | YK70.6-08          | sprocket;<br>RS50×18T                | 1 | 44 | GB6710-86           | Nut M10 (8.8)                                   | 6 |
| 21 | YK70.6-09          | sprocket;<br>RS50×32T                | 1 | 45 | GB97.1-85           | Flat washer 10                                  | 1 |
| 22 | YK70.4-04          | Pulley CP                            | 1 | 46 |                     | <b>Elbow bend</b><br><br>(optional)<br><br>CP;R | 1 |
| 23 | GB/T13680-19<br>92 | Square nut                           | 1 | 47 |                     | <b>Elbow bend</b><br><br>(optional)<br><br>CP:L | 1 |
| 24 | YK70.6-11          | bush                                 | 1 | 48 |                     | Shield<br>(optional)                            | 1 |
| 25 | GB5786-86          | Bolt M10x40<br>(8.8)                 | 1 | 49 |                     | 9 Pin(optional)<br>8×1.6                        | 2 |


YK0850. YK0870 Round baler  
Picking-up sprocket Assy



| No. | Drawing No. | name                                | quant<br>ity | No. | Drawing<br>No. | name | quant<br>ity |
|-----|-------------|-------------------------------------|--------------|-----|----------------|------|--------------|
| 50  |             | Square neck boltM8×15<br>(optional) | 4            |     |                |      |              |
| 51  | GB6710-86   | Nut(optional) M8                    | 4            |     |                |      |              |
| 52  | GB860-87    | Washer 21×1.5                       | 1            |     |                |      |              |
| 53  | GB860-87    | washer ; 10                         | 4            |     |                |      |              |
| 54  |             | Joint 10A                           | 1            |     |                |      |              |
|     |             |                                     |              |     |                |      |              |
| 56  |             | Coupling part 10A                   | 1            |     |                |      |              |
| 57  | GB93-87     | Spring washer 10                    | 2            |     |                |      |              |
| 58  | GB93-87     | Spring washer12                     | 2            |     |                |      |              |
| 59  | GB93-87     | Spring washer 10                    | 3            |     |                |      |              |
|     |             |                                     |              |     |                |      |              |
|     | GB6710-86   | nut: M12                            | 1            |     |                |      |              |
|     | GB860-87    | washer: 25×35×1.2                   | 1            |     |                |      |              |
|     |             | shim: 25.5×0.6                      | 1            |     |                |      |              |
|     | GB91-87     | Split pin: 3.2×3.2                  | 1            |     |                |      |              |
|     | GB860-87    | washer ; 13×4.5                     | 1            |     |                |      |              |



YK0850. YK0870 Round baler  
Twine binding bracket Assy




| No. | Drawing No.   | name                  | quantity | No. | Drawing No.      | name                 | quantity |
|-----|---------------|-----------------------|----------|-----|------------------|----------------------|----------|
| 1   | YK70. 7-01-00 | Twine clip plate CP;1 | 1        | 33  | YK70. 7-11       | Twine hook           | 1        |
| 2   | GB5786-86     | Bolt M8×20 (8. 8)     | 6        | 36  | GB/T3098. 9-2002 | Nylon locking nut M6 | 2        |
| 4   | YK70. 7-02-00 | Pressure plate CP     | 1        | 37  | GB97. 1-85       | Flat washer 6        | 2        |
| 5   | YK70. 7-03    | Tension plate CP      | 1        | 40  | YK70. 7-12       | Adjustable lever CP  | 1        |
| 6   | GB97. 1-85    | Washer 12             | 2        | 41  | YK70. 7-13       | Fork 8×32            | 1        |
| 7   | GB91-87       | Split pin 3. 2×16     | 2        | 42  | YK70. 7-14       | Pin 8×30             | 1        |
| 8   | GB6710-86     |                       | 6        | 43  | GB6710-86        | nutM8                | 1        |
| 9   | GB6710-86     | Nut M8                | 1        | 44  | GB97. 1-85       | Washer 8             | 2        |

|    |                 |                                                                  |   |
|----|-----------------|------------------------------------------------------------------|---|
| 10 | GB5786-86       | Bolt M8×20                                                       | 4 |
| 11 | YK70. 7-04      | cam                                                              | 1 |
| 14 | YK70. 7-05      | Retaining ring<br>25                                             | 1 |
| 17 | GB/T290-98      | Single-directio<br>n<br>Rolling bearing<br>HK2520 (25×32×<br>20) | 1 |
| 18 | GB297-84        | bearing<br>6005-2RS<br>(25X47X12)                                | 2 |
| 19 | GB484. 1-86     | Shaft spring<br>retaining ring<br>25                             | 1 |
| 23 | GB/T<br>80-2000 | <b>Hexagon</b><br><b>socket set</b><br><b>screw M8×20</b>        | 1 |
| 24 | YK50. 7-06      | Twine pulley<br>YK0850                                           | 1 |
|    | YK70. 7-06      | Twine pulley<br>YK0870                                           | 1 |
| 25 | YK70. 7-07      | Pull spring                                                      | 2 |
| 26 | YK70. 7-08      | slot plate                                                       | 1 |
| 27 | YK70. 7-09      | compression<br>spring                                            | 2 |
| 28 | GB5786-86       | boltM6×50                                                        | 2 |
| 29 | YK70. 7-10      | pulleyCP                                                         | 2 |
| 30 | GB5786-86       | boltM8×30<br>(8. 8)                                              | 2 |
| 31 | GB97. 1-85      | Flat washer 8                                                    | 5 |

|    |            |                  |   |
|----|------------|------------------|---|
| 45 | GB91-87    | Split pin 3.2×16 | 1 |
| 46 | YK70. 7-15 | Fork rod CP      | 1 |
| 47 | GB97. 1-85 | Flat washer 12   | 1 |
| 48 | GB91-87    | Split pin 3.2×16 | 1 |
| 49 | YK70. 7-16 | Spring rod CP    | 1 |
| 50 | YK70. 7-17 | pressure pad     | 1 |
| 51 | GB5786-86  | Bolt M6×20       | 2 |
| 52 | GB6710-86  | Nut M6           | 2 |
| 53 | GB97. 1-85 | Flat washer 6    | 2 |
| 54 | GB97. 1-85 | Flat washer 8    | 1 |
| 55 | GB91-87    | Split pin 3.2×16 | 1 |
| 56 | YK70. 7-18 | Twine ring       | 1 |
|    |            |                  |   |
|    |            |                  |   |
|    |            |                  |   |

|    |           |        |   |  |  |  |  |
|----|-----------|--------|---|--|--|--|--|
| 32 | GB6710-86 | nut M8 | 2 |  |  |  |  |
|----|-----------|--------|---|--|--|--|--|

YK0850. YK0870 Round baler  
Twine binding support Assy




| No. | Drawing No.   | name                | quantity | No. | Drawing No. | name                           | quantity |
|-----|---------------|---------------------|----------|-----|-------------|--------------------------------|----------|
| 1   | TK70. 8-01-00 | Support rod<br>CP;2 | 1        | 26  | GB6710-86   | nut M8<br>(8.8)                | 2        |
| 2   | GB5786-86     | Bolt M8×20<br>(8.8) | 2        | 27  | GB97. 1-85  | Flat washer 17×1.5             | 1        |
| 3   | GB6710-86     | Nut M8              | 2        | 28  | GB879-86    | Spring cylindrical<br>pin 5×32 | 1        |
| 4   | GB5786-86     | bolt M8×20<br>(8.8) | 2        | 29  | GB97. 1-85  | Flat washer 8                  | 4        |
| 5   | YK70. 8-02-00 | Rubber racket<br>CP | 1        | 30  | GB5786-86   | bolt M8×20 (8.8)               | 4        |
|     | YK70. 8-03    | rubber washer       |          |     | GB1152×79   | grease nipple ONA6             | 1        |

|    |                    |                                      |   |
|----|--------------------|--------------------------------------|---|
| 6  |                    |                                      | 1 |
| 7  | YK70. 8-04         | bush                                 | 1 |
| 8  | YK70. 8-05         | sleeve                               | 1 |
| 9  | GB5786-86          | bolt M8×80<br>(8.8)                  | 1 |
| 10 | GB6710-86          | nut M8 (8.8)                         | 1 |
| 11 | GB93-87            | Spring washer<br>8                   | 2 |
| 12 | YK70. 8-06-00      | Swing arm CP                         | 1 |
| 13 | GB119-86           | Cylindrical pin                      | 1 |
| 14 | GB1152×79          | Grease nipple<br>AM6×1               | 2 |
| 15 | GB97. 1-85         | Flat washer 6                        | 2 |
| 16 | GB879-86           | Spring<br>cylindrical<br>pin 6×36    | 1 |
| 17 | GB894. 1-86        | Shaft spring<br>retaining<br>ring 15 | 1 |
| 18 | GB97. 1-85         | washer<br>17×1.5                     | 1 |
| 19 | YK70. 8-08-00      | Support rod<br>CP;1                  | 1 |
| 20 | YK70. 8-09-00      | bracket                              | 1 |
| 21 | YK70. 8-10-00      | Support rod                          | 1 |
| 22 | YK70. 8-11         | Nylon sleeve                         | 5 |
| 23 | YK70. 8-12         | Torsion spring                       | 1 |
| 24 | YK70. 8-13-00      | Pulley<br>bracket CP:3               | 1 |
| 25 | JB/ZQ4340-200<br>6 | Spring disc<br>washer                | 3 |

|    |                  |                                |   |
|----|------------------|--------------------------------|---|
| 31 |                  | M6×1                           |   |
| 32 | GB1152×79        | grease nipple ONA6<br>M6×1     | 1 |
| 33 | GB879-86         | Spring cylindrical<br>pin 6×36 | 1 |
| 34 | YK70. 8-15       | Extension spring; H            | 1 |
| 35 | YK70. 8-16       | Extension spring; H            | 1 |
| 36 | YK70. 8-07       | screw: M8                      | 1 |
| 37 | GB6710-86        | nut M8 (8.8)                   | 2 |
| 38 | YK70. 8-17-00    | Slot pressure pad              | 1 |
| 39 | YK70. 8-18       | compression<br>spring : A      | 1 |
| 40 | YK70. 7-10       | pulleyCP                       | 2 |
| 41 | GB97. 1-85       | Flat washer 8                  | 1 |
| 42 |                  | Opening retaining<br>ring 5    | 1 |
| 43 | YK70. 8-19-00    | Knife bracket                  | 1 |
| 44 | YK70. 8-14       | knife                          | 1 |
| 45 | GB/T3098. 9-2002 | Nylon locking nut M8           | 1 |
| 46 | GB/T 5280-2002   | Self-tapping screw<br>M3×6     | 1 |
| 47 | GB5786-86        | bolt M8×20 (8.8)               | 1 |
| 48 | GB97. 1-85       | Washer 8                       | 1 |
| 49 | YK70. 8-20       | Rubber washer                  | 1 |
| 50 | YK70. 8-21       | Nylon washer                   | 1 |

YK0850. YK0870 Round baler  
Twine binding support Assy




| No. | Drawing No.     | name                                         | quantity | No. | Drawing No. | name | quantity |
|-----|-----------------|----------------------------------------------|----------|-----|-------------|------|----------|
| 51  | GB 819-1985     | Cross Countersunk head screw<br>M8×35 (10.9) | 2        |     |             |      |          |
| 52  | GB/T3098.9-2002 | Nylon locking nut M8                         | 3        |     |             |      |          |
| 53  | GB/T3098.9-2002 | Nylon locking nut M6                         | 1        |     |             |      |          |
| 54  | YK70.8-22       | plate                                        | 1        |     |             |      |          |
| 55  | YK50.8-22       | Plate YK0850                                 | 1        |     |             |      |          |
| 56  | GB5786-86       | bolt M8X16 (8.8) YK0850                      | 1        |     |             |      |          |
| 57  | GB6710-86       | nut M8 (8.8) YK0850                          | 1        |     |             |      |          |
| 58  | GB97.1-85       | Flat washer 16                               | 1        |     |             |      |          |
|     | YK70.8-23       | buzzer switch racket                         |          |     |             |      |          |



YK0850. YK0870 Round baler  
reducer assy

减速器 AS



| No. | Drawing No.      | name                   | quant<br>ity | No. | Drawing<br>No. | name | quan<br>tity |
|-----|------------------|------------------------|--------------|-----|----------------|------|--------------|
| 1   | YK70. 9-01       | worm                   | 1            |     |                |      |              |
| 2   | GBT<br>9877-2008 | Lip seal FB15×35×8     | 1            |     |                |      |              |
| 3   | GB893.1-86       | Holes Circlips 35      | 2            |     |                |      |              |
| 4   | GB297-84         | Bearing 6202           | 2            |     |                |      |              |
| 5   | YK70. 9-02       | Sealing cover KRCA3507 | 1            |     |                |      |              |
| 6   | YK7309-03        | Wormgear               | 1            |     |                |      |              |
| 7   | YK70. 8-04       | Worm-wheel shaft       | 1            |     |                |      |              |
| 8   | GB297-84         | Bearing 6203           | 1            |     |                |      |              |
| 9   | GB297-84         | Ball bearing 6005-2RS  | 1            |     |                |      |              |
| 10  | D30507           | Oil seal FB30×50×7     | 1            |     |                |      |              |
| 11  | GB893.1-86       | Retaining ring 47      | 1            |     |                |      |              |
| 12  | GB1096-79        | Flat key 5×5×25 (A 型)  | 1            |     |                |      |              |
| 13  | YK70. 9-05       | cover                  | 1            |     |                |      |              |
| 14  | YK70. 9-06       | case                   | 1            |     |                |      |              |
| 15  | GB5786-86        | Bolt M6×16 (8.8)       | 4            |     |                |      |              |


|    |              |                    |   |
|----|--------------|--------------------|---|
| 16 | YK70. 9-07   | Oil port bolt      | 1 |
| 17 | YK70. 9-08   | Rubber washer      | 1 |
| 18 | GB3452. 1-82 | O-rubber seal G-60 | 1 |
| 19 | GB93-87      | Spring washer 6    | 4 |

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

YK0850. YK0870 Round baler

Topper cover rod

机架上连杆 AS




| No. | Drawing No.    | name                           | quan<br>tity | No. | Drawing No.       | name                  | quant<br>ity |
|-----|----------------|--------------------------------|--------------|-----|-------------------|-----------------------|--------------|
| 1   | YK70. 10-01    | Indicator board                | 1            | 22  | GB5786-86         | bolt M8×75 (8.8)      | 2            |
| 2   | YK70. 10-02    | Fork plate                     | 1            | 23  | GB/T3098. 9-2 002 | Nylon locking nut M8  | 2            |
| 3   | YK70. 10-03-00 | Connecting plate               | 2            | 24  |                   | B-pin 8×1.6           | 1            |
| 4   | YK70. 10-04    | Topper cover                   | 2            | 25  | YK70. 7-13        | Connecting yoke; 8×32 | 2            |
| 5   | YK50. 10-05    | <b>extension spring</b> YK0850 | 2            | 26  | YK70. 7-14        | Connecting pin; 8×32  | 2            |
|     | YK70. 10-05    | <b>extension spring</b> YK0870 | 2            | 27  | GB91-87           | Split pin3. 2×16      | 2            |





YK0850. YK0870 Round baler  
Cover




| No. | Drawing No.   | name                            | quantity | No. | Drawing No.   | name                     | quantity |
|-----|---------------|---------------------------------|----------|-----|---------------|--------------------------|----------|
| 1   | YK50.11-01-00 | Front cover housing CP;L YK0850 | 1        | 26  | GB5786-86     | bolt M8×20 (8.8)         | 4        |
|     | YK70.11-01-00 | Front cover housing CP;L YK0870 | 1        | 27  | GB6710-86     | nut M8                   | 4        |
| 2   | YK50.11-02-00 | Front cover housing CP;R YK0850 | 1        | 28  | GB5786-86     | bolt M8×20 (8.8)         | 4        |
|     | YK70.11-02-00 | Front cover housing CP;R YK0870 | 1        | 29  | GB97.1-85     | Flat washer 8            | 4        |
| 3   | YK50.11-03-00 | rear cover housing CP;L YK0850  | 1        | 30  | YK50.11-12-00 | Cover housing; CP YK0850 | 1        |
|     | YK70.11-03-00 | Rear cover housing CP;L YK0870  | 1        |     | YK70.11-12-00 | Cover housing; CP YK0870 | 1        |
| 4   | YK50.11-04-00 | rear cover housing CP;R YK0850  | 1        | 31  | GB5786-86     | bolt M8×20 (8.8)         | 8        |
|     | YK70.11-04-00 | Rear cover housing CP; R        | 1        | 32  | GB97.1-85     | Flat washer8             | 8        |

|    |                    |                                |    |
|----|--------------------|--------------------------------|----|
|    |                    | YK0870                         |    |
| 5  | YK50.11-05-00      | Cover housing<br>CP;L YK0850   | 1  |
| 6  | YK50.11-06-00      | Cover housing CP;<br>YK0850    | 1  |
| 7  | YK70.11-07         | Star handle : 50               | 8  |
| 8  | JB/ZQ4340-200<br>6 | Disc spring washer             | 32 |
| 9  | GB97.1-85          | Flat washer 8                  | 16 |
| 10 | GB879-86           | Spring cylindrical<br>pin 4×16 | 8  |
| 11 | GB5786-86          | Bolt M8×16 (8.8)               | 4  |
| 12 | YK70.11-08         | reflector; R-80CI              | 2  |
| 13 | GB6710-86          | Nut M5                         | 2  |
| 20 | YK70.11-09         | magnet                         | 1  |
| 21 | YK50.11-10-00      | gate; CP<br>YK0850             | 1  |
|    | YK70.11-10-00      | gate; CP YK0870                | 1  |
| 22 | GBT 818-2000       | cross head screw<br>M6×12      | 2  |
| 23 | GB97.1-85          | Washer 6                       | 2  |
| 24 | GB6710-86          | Nut M6                         | 2  |
| 25 | YK50.11-11-00      | Cover box CP YK0850            | 1  |
|    | YK70.11-11-00      | Cover box CP<br>YK0870         | 1  |

|       |            |                                  |   |
|-------|------------|----------------------------------|---|
|       |            |                                  |   |
| 35    | YK70.11-13 | sticker                          | 1 |
| 36    | YK70.11-14 | sticker                          | 1 |
| 37    | YK70.11-15 | sticker                          | 1 |
| 38 38 | YK70.11-16 | Warning sticker                  | 2 |
| 39    | YK70.11-17 | sticker                          | 1 |
| 40    | YK70.11-18 | Warning sticker                  | 1 |
| 41    | YK70.11-19 | Warning sticker                  | 2 |
| 42    | YK50.11-20 | Warning sticker ;<br>850L YK0850 | 1 |
|       | YK70.11-20 | Warning sticker ;<br>870L YK0870 | 1 |
| 43    | YK50.11-21 | Warning sticker ;<br>850R YK0850 | 1 |
|       | YK70.11-21 | Warning sticker ;<br>870R YK0870 | 1 |
| 44    | YK70.11-22 | Name of manufacturer             | 3 |
| 45    | YK70.11-23 | sticker                          | 1 |
| 46    | YK70.11-24 | sticker                          | 1 |
|       | GB93-87    | Spring washer :5                 | 2 |
|       |            |                                  |   |
|       |            |                                  |   |

YK0850. YK0870 Round baler  
Hydraulic pump assy



| No. | Drawing No.   | name                         | quantity | No. | Drawing No.    | name                                              | quantity |
|-----|---------------|------------------------------|----------|-----|----------------|---------------------------------------------------|----------|
| 1   | YK70.12-04-00 | Hydraulic pump station ; 95R | 1        | 27  | YK70.12-08     | Nylon rope 6×3500                                 | 1        |
| 2   | GB97.1-85     | Washer 10                    | 2        | 30  | YK70.12-09-00  | Cylinder CSH35×210×375                            | 1        |
| 3   | GB93-87       | Spring washer 10             | 2        | 31  |                | Conical female and male outside coupler G1/4×R1/4 | 1        |
| 4   | GB5786-86     | boltM10×25 (8,8)             | 2        | 32  |                | 90° conical male inside coupler G1/4×R1/4         | 1        |
| 5   | YK70.12-01    | Check sleeve                 | 1        | 33  | GB/T12223-2005 | Control valve Rcl/4                               | 1        |
| 6   | GB1096-79     | Flat key5×5×20 (B type)      | 1        | 34  |                | male coupler R1/4                                 | 1        |
| 7   | YK70.12-02    | Small pulley 9T              | 1        | 35  | GB/T8100-1987  | Single-direction throttle valve Rcl/4             | 1        |
| 8   | GB97.1-85     | Washer 6                     | 1        | 36  | GB/T1277-99    | Rubber hose G1 / 4×1000                           | 2        |

|          |                     |                         |   |    |                     |                                                 |   |
|----------|---------------------|-------------------------|---|----|---------------------|-------------------------------------------------|---|
| 9        | GB93-87             | Spring washer 6         | 1 | 37 | YK70.12-10          | bush: Φ35                                       | 2 |
| 10       | GB5786-86           | bolt M6×16<br>(8,8)     | 1 | 38 |                     | Plastic hoop<br>2.5×100                         | 3 |
| 11       | YK70.12-03          | Large pulley 43T        | 1 | 39 |                     | Plastic hoop<br>4.8×251                         | 2 |
| 12       | GB6710-86           | nutM12 (8.8)            | 1 | 43 |                     | 90° conical male<br>inside coupler<br>G1/4×R1/4 | 4 |
| 13       | GB97.1-85           | washer: 13×4.5          | 1 | 44 |                     | 90° female coupler<br>G1/4                      | 2 |
| 14       | GB93-87             | Spring washer 12        | 1 | 45 | GB5786-86           | bolt M16×80 (8.8)                               | 2 |
| 15       | GB/T1243-200<br>6   | chain08A-56×1           | 1 | 46 | GB/T3098.9-200<br>2 | Nylon locking nut M6                            | 2 |
| 16       | GB/T1243-200<br>6   | Chain joint 08A         | 1 |    |                     |                                                 |   |
| 18       | YK70.12-05          | Conneting<br>board      | 1 |    |                     |                                                 |   |
| 19       | GB5786-86           | Bolt M8×16 (8.8)        | 1 |    |                     |                                                 |   |
| 20       | YK70.12-06          | Connecting rod          | 1 |    |                     |                                                 |   |
| 21       | GB97.1-85           | Washer 8                | 2 |    |                     |                                                 |   |
| 22       | GB91-87             | Split pin 3.2×16        | 1 |    |                     |                                                 |   |
| 23       |                     | B-pin 8×1.6             | 1 |    |                     |                                                 |   |
| 24       | YK70.12-07          | plate                   | 1 |    |                     |                                                 |   |
| 25'      | GB5786-86           | bolt M8×25 (8.8)        | 1 |    |                     |                                                 |   |
| . 2<br>6 | GB/T3098.9-2<br>002 | Nylon locking nut<br>M8 | 1 |    |                     |                                                 |   |